

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

009553E 110900

Influence of β -1.3-1.6glucan on the number of lymphocytes






Fig.1 Influence of β -1.3-1.6glucan (Aureobasidium medium) on the number of lymphocytes in peripheral blood

0000535 14004
F0607F 5599000



No addition



Addition with β -1.3-1.6glucan (Aureobasidium medium)

Fig.2: Photographs Morphological change of lymphocytes in peripheral blood with β -1.3-1.6glucan (Aureobasidium medium)

FOOT 5253660




Fig.3 Influence of β -1.3-1.6glucan (Aureobasidium medium) on the proliferation of cancer cells

Influence of β -1.3-1.6glucan on the proliferation of leukemia cells (Molt-4)




Fig.4 Influence of β -1.3-1.6glucan (Aureobasidium medium) on the proliferation of cancer cells

FOUOFT 52598660




Fig.6 Influence of β -1.3-1.6glucan (Aureobasidium medium) on the proliferation of cancer cells

106011"5E590660




Fig.7 Influence of β -1.3-1.6glucan (Aureobasidium medium) on the dynamics of model cell surface molecules (receptor molecules) in monocyte/macrophage system
 No addition: — / Addition with β -1.3-1.6glucan (Aureobasidium medium) ---

Fig.8 Influence of β -1.3-1.6glucan (Aureobasidium medium) on the environmental microbes (proliferation)